PT NO	AMPS	VOLTS	TYPE	HSG		AUX STUD	BRKT	SEAL	COLOR	NOTE
30423-50	50	24		PLASTIC						HARDWARE
30423-40	40	24					A OR B			HARDWARE
30423-30	30	24	3				A OR B			HARDWARE
30423-25	25	24	3	PLASTIC						HARDWARE
30423-20	20	24	3	PLASTIC		<u> </u>				HARDWARE
30423-15	15	24	3	PLASTIC	14.22	17.27	A OR B	NONE		HARDWARE
30423-12	12	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		HARDWARE
30423-10	10	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		HARDWARE
30423-8	8	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		HARDWARE
P30423-50	50	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		NO HARDWARE
P30423-40	40	24	3	PLASTIC	14.22	17.27	A □R B	NDNE		ND HARDWARE
P30423-30	30	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		ND HARDWARE
P30423-25	25	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		ND HARDWARE
P30423-20	20	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		ND HARDWARE
P30423-15	15	24	3	PLASTIC	14.22	17.27	A □R B	NDNE		ND HARDWARE
P30423-12	12	24	3	PLASTIC	14.22	17.27	A OR B	NDNE		ND HARDWARE
P30423-10		24					A OR B			NO HARDWARE
P30423-8	8	24					A OR B			NO HARDWARE
PT NO	AMPS	VOLTS	TYPE	HSG	ВАТ	AUX	BRKT	SEAL	COLOR	NOTE

Revision Control Record					Revision Control Record					
Rev.	Description of Change	ECN No.	Date	Rev.	Description of Change	ECN No.	Date	*		
		ĊГ.	4)D			1.		
	SEE PA	JE	•		JK		•	Di e> m		
•					FC		•	_ _ _ _ _		
	KEVISIU		AC		ES	•		U		

lerances Unless otherwise specifically noted, the following 2 default tolerances;
2-palece Decimal Dimensions +/-.02"
2-palece Decimal Dimensions +/-.005"
Angular Dimensions +/-1.0 Deg.
Metric: Refer to equivalent English Dimension Tolerance
>>> NOTE: All tolerances are Non-Cumulative. <<<

ensional Units apt those shown in brackets (xxx) are expressed in meters

F." or an Asterisk (*) = Non-Toleranced Reference ension, shown for clarification purposes only.

Scale: 2:1

Drawn CM By:

PROPRIETARY INFORMATION This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole

<u>DESIGN CONTROL</u> It is the responsibility of the individual using / referencing this drawing to assure that the noted design revision level agrees with the revision level of the Controlled Document (Master Drawing). This is a NON-CONTROLLED DOCUMENT unless otherwise specifically noted.

DO NOT SCALE - Dimensional variation may occur during printing $\it I$

Key for Special Characteristics:

Critical Characteristic, relating to Safety and/or Regulatory Compliance



Significant Characteristic relating to Process Control (SPC) Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer

(Note that the identification of any Characteristics as being "Special" does not alter the requirement that ALL specificed dimensions & tolerances must be met.)

Date Drawn: 08/15/14 Responsible Engineer: N/A Pg. 2 of 2



COIE HEISEE CO.
20 Old Colony Ave., South Boston, MA, 02127
Phn: 617-268-2100 Web: www.colehersee.com

Description: CIRCUIT BREAKER, 24 V

Drawing / Part No.: 30423 SERIES Current Rev. SEE PAGE

CHART DNE