





REVISION								
DESCRIPTION 6/22 525614GCP - RELEASE MRY								
			5250	1001	RELEASE	TIN		
				■ F]
OMPONE	NT NO	DTI					QTY/M	U/M
BILL OF MATERIAL								
	CRITICAL CHARACTERISTIC FOR PART SAFETY/COMPLIANCE							
	DENOTES CRITICAL CHARACTERISTICS.							
	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE							
	DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.							
DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.								
C				FINISH				
DATE 8/22/2022			SCALE NTS			FINISH GOOD WT GRAMS/PIECE		
SS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994								
3PH39P18MM OUTLINE								
Littelfuse REVISION DRWG NO. SHEET 1 OF 1 CHICAGO, ILLINOIS 60631 A OL-3PH39P18MM								