

		REVISION							
	REV	DATE	DESCRIPTION						
	Α	1/16/18	518725GCP - RELEASE PER EM2929 MRY						
	В	3/31/22	524923ECP/D - ADD TOLERANCES MRY						





•	DEN	IOTES CRITICAL CHARA	CTERISTICS.			
СРК	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE					
<u>(ST)</u>	DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.					
СР	MUS SHC		ENSIONAL LIMITATIONS INITIALLY LOCATED TO			
MATL SPEC			FINISH			
DRW MYORK		DATE 9/18/2017	SCALE NTS	FINISH GOOD WT GRAMS/PIECE		

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN BRACKETS [ ] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994

3RD ANGLE PROJECTION

TITLE

1500VDC SIZE 2XLW/ U-BLADE PHOTOVOLTAIC FUSE OUTLINE



REVISION DRWG NO.

OL-SPNH000.X2XLDE