

### 281/282 Series Panel Mount Holders for MICRO™/TR3 Fuses

#### 281 Series Panel Mount




Front of Panel Mounting  
with Push-On / Rear Retaining Nut

#### Dimensions units in inch (mm)

##### 0281 0001

##### Front of Panel Mounting with Push-On / Rear Retaining Nut



#### 282 Series Panel Mount - Sealed/Moisture Resist Knob

**Note:** These products are shipped unassembled and without fuse device




Rear of Panel Mounting  
with Threaded Knurled /  
Front Retaining Nut

Front of Panel Mounting  
with Threaded Hex /  
Rear Retaining Nut

#### Dimensions units in inch (mm)


##### 0282 0002 and 0282 0008

##### Rear of Panel Mounting with Threaded Knurled / Front Retaining Nut



##### 0282 0001 and 0282 0007

##### Front of Panel Mounting with Threaded Hex / Rear Retaining Nut



#### Product Characteristics

Compatible Fuses	MICRO™/TR3
Description	Panel mount holder designed for Littelfuse MICRO™/TR3 type and other fuse series with .025" diameter leads rated to 5 amps
Electrical Specs	Rated at 5 amperes for any voltage up to 125
Mounting Specs	Maximum panel thickness is .09"
Ambient Temp.	-40°C to +125°C
Retaining Hardware	"Push-On" retaining nut
Molded Material	Black Thermoset
Terminal Material	Beryllium copper with silver plating

#### Product Characteristics

Compatible Fuses	MICRO™/TR3
Description	RF-shielded and drip-proof screw-on knob design enables use of Littelfuse MICRO™/TR3 fuses when presence of moisture exists at front of panels
Electrical Specs	Rated at 5 amperes for any voltage up to 125
Mounting Specs	Front panel mount, maximum panel thickness: .093" Rear panel mount, maximum panel thickness: .125"
Ambient Temp.	-40°C to +125°C
Mounting Gasket Options	Neoprene (282001, 282002) or Conductive Silicone (282007, 282008)
Retaining Hardware Options	Threaded Hex Nut (282002, 282008) or Threaded Knurled Nut (282001, 282007)
Molded Material	Black thermoset
Housing, Knob and Nut Material	Aluminum, untreated
Terminal Material	Beryllium copper with silver plating
Knob Seal	Buna "N" O-ring inside the knob

**Note:** Refer to [Fuseology](#) for information on proper fuseholder re-rating.

#### Additional Information



**Datasheet**  
281 Series



**Resources**  
281 Series



**Samples**  
281 Series



**Datasheet**  
282 Series



**Resources**  
282 Series



**Samples**  
282 Series

### Ordering Information

Ordering Number	Packing
02810001H	Bulk (100 Pieces)

Ordering Number		Gasket Type	Packing
Rear Mounting (Threaded Knurled Nut)	Front Mounting (Threaded Hex Nut)		
<b>02820002Z</b>	<b>02820001Z</b>	Neoprene	Bulk (100 Pieces)
<b>02820008Z</b>	<b>02820007Z</b>	Conductive Silicone	Bulk (100 Pieces)

**Note:** These products are shipped unassembled and without fuse device