

# Kitemark™ Certificate

This is to certify that:

Suzhou Littelfuse OVS Ltd  
No.6 Xinghai Street  
Suzhou Industrial Park  
Suzhou  
Jiangsu  
215021  
China

Holds Certificate Number:

KM 41462

In respect of:

**BS EN 60127**  
**Cartridge fuse-links**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



---

Chris Lewis - Certification Director, Product Certification

First Issued: 1999-03-03

Latest Issue: 2017-11-06

Effective Date: 2017-11-06

Expiry Date: 2020-11-05



Page: 1 of 7

...making excellence a habit.™

# Kitemark™ Certificate

No. KM 41462

<b>Group 1: Type: 213 Standard Sheet III Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
213.200	200 mA	98.3292.51, NL 2880
213.250	250 mA	98.3292.52, NL 2881
213.315	315 mA	98.3292.53, NL 2882
213.400	400 mA	98.3292.54, NL 2883
213.500	500 mA	98.3292.55, NL 2884
213.630	630 mA	98.3292.56, NL 2885
213.800	800 mA	98.3292.57, NL 2886
213001	1.00 A	98.3292.58, NL 2887
2131.25	1.25 A	98.3292.59, NL 2888
21301.6	1.60 A	98.3292.60, NL 2889
213002	2.00 A	98.3292.61, NL 2890
21302.5	2.50 A	98.3292.62, NL 2891
2133.15	3.15 A	98.3292.63, NL 2892
213004	4.00 A	98.3292.64, NL 2893
213005	5.00 A	GTIHEA0883, CN 2365
21306.3	6.30 A	99.2574.50, NL 3141

BSI commission No. 8066771/7-7, Amendment 1 update.  
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

First Issued: 1999-03-03  
Latest Issue: 2017-11-06

Effective Date: 2017-11-06  
Expiry Date: 2020-11-05

Page: 2 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41462

<b>Group 2: Type: 215 Standard Sheet V Fuse-Links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
0215.200	200 mA	GTIHEA-1451/1
0215.250	250 mA	GTIHEA-1451/2
0215.315	315 mA	GTIHEA-1451/3
0215.400	400 mA	GTIHEA-1451/4
0215.500	500 mA	GTIHEA-1451/5
0215.630	630 mA	GTIHEA-1451/6
0215.800	800 mA	GTIHEA-1451/7
0215001	1.00 A	2013708.52 & GTIHEA-1992/1 *
02151.25	1.25 A	2013708.53 & GTIHEA-1992/2 *
021501.6	1.60 A	2010222.50 & GTIHEA-1992/3 *
0215002.	2.00 A	2010222.51 & GTIHEA-1992/4 *
021502.5	2.50 A	2010222.52 & GTIHEA-1992/5 *
02153.15	3.15 A	2010222.53 & GTIHEA-1992/6 *
0215004	4.00 A	2010222.54
0215005	5.00 A	2010222.55
0215005.XAP	5.00 A	GTIHEA-2702-1/2
0215005.XAEP	5.00 A	GTIHEA-2702-2/2
021506.3	6.30 A	2010222.56
0215008	8 A	GTIHEA-1451/8
0215010	10 A	GTIHEA-1451/9

**Note:** \* includes alternative wire design

BSI reference report numbers 249/4563382, 249/4644804 & 249/4668686 refer.

BSI commission No. 8066771/4-7, Amendment 1 update.  
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

First Issued: 1999-03-03

Latest Issue: 2017-11-06

Effective Date: 2017-11-06

Expiry Date: 2020-11-05

Page: 3 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41462

<b>Group 3: Type: 216 Standard Sheet I Fuse-Links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
216001	1.00 A	2013759.58
2161.25	1.25 A	2013759.59
21601.6	1.60 A	2005584.50
216002	2.00 A	2013759.60
21602.5	2.50 A	2013759.61
2163.15	3.15 A	2013759.62
216004	4.00 A	2013759.63
216005	5.00 A	2013759.64
21606.3	6.30 A	2013759.65

BSI commission No. 8066771/5-7, Amendment 1 update.  
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

<b>Group 4: Type: 217 Standard Sheet II Fuse-Links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
217.400	400 mA	GTIHEA0523
217.500	500 mA	GTIHEA0523
217.630	630 mA	GTIHEA0523
217.800	800 mA	GTIHEA0523
217001	1.00 A	15046.00-1170-0811/30U22
2171.25	1.25 A	97.2128.60
21701.6	1.60 A	97.2128.61
217002	2.00 A	15046.00-1170-0811/30U22
21702.5	2.50 A	15046.00-1170-0811/31H2H
2173.15	3.15 A	15046.00-1170-0811/31H2H
217004	4.00 A	15046.00-1170-0811/31H2H
217005	5.00 A	15046.00-1170-0811/31H2H
21706.3	6.30 A	GTIHEA0884

BSI commission Nos. 126357, 137933, 138050, 150924 and 188017 refer.  
BSI commission No. 8066771/3-7, Amendment 1 update.  
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

First Issued: 1999-03-03  
Latest Issue: 2017-11-06

Effective Date: 2017-11-06  
Expiry Date: 2020-11-05

Page: 4 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41462

<b>Group 5: Type: 0217 Standard Sheet II Fuse-Links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
F1,25AL250V	1.25 A 250 V	GTIHEA-3240-1/2-M1 & 249/7032573
F1,6AL250V	1.6 A 250 V	GTIHEA-3240-2/2-M1 & 249/7032573
0217008.X125	8 A 125 V	GTIHEA-1631/1
0217010.X125	10 A 125 V	GTIHEA-1631/2 & 2004-0398
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.		

<b>Group 6: Type: 218 Standard Sheet III Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
218.080	80 mA (NK)	98.2763.51
218.100	100 mA (NK)	98.2763.52
218.125	125 mA	94.9878.51
218.160	160 mA	94.9246.52
218.200	200 mA	95.9589.53
218.250	250 mA	95.9589.54
218.315	315 mA	91.8638.01
218.400	400 mA	91.8638.02
218.500	500 mA	91.8638.03
218.630	630 mA	91.8638.04
218.800	800 mA	97.2197.74 & 241/005509
218001	1 A	97.2197.75 & 241/005509
2181.25	1.25 A	97.2197.76 & 241/005509
21801.6	1.6 A	97.2197.77 & 241/005509
218002	2 A	97.2197.78 & 241/005509
21802.5	2.5 A	97.2197.79 & 241/005509
2183.15	3.15 A	97.2197.80 & 241/005509
218004	4 A	97.2197.81 & 241/005509
218005	5 A	97.2197.82 & 241/005509
21806.3	6.3 A	97.2197.83 & 241/005509
BSI commission No. 8066771/1-7, Amendment 1 update.		
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.		

First Issued: 1999-03-03

Latest Issue: 2017-11-06

Effective Date: 2017-11-06

Expiry Date: 2020-11-05

Page: 5 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 41462

<b>Group 7: Type: 0218 Standard Sheet III Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
218.800	800 mA	97.2197.74, 241/005509 & GTIHEA-1931/1*
218001	1 A	97.2197.75, 241/005509 & GTIHEA-1931/2*
2181.25	1.25 A	97.2197.76, 241/005509 & GTIHEA-1931/3*
21801.6	1.6 A	97.2197.77, 241/005509 & GTIHEA-1931/4*
0218008.X125	8 A 125 V	GTIHEA-1450/1
0218010.X125	10 A 125 V	GTIHEA-1450/2 & 2004-0382
<b>Note:</b> * includes alternative wire design		
BSI reference report number 249/4668685 refers.		
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.		

<b>Group 8: Type: 0219 Standard Sheet VI Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)</b>		
<b>Type Reference</b>	<b>Rating</b>	<b>Reference Report</b>
0219001	1.00 A	GTIHEA-1165-1 / CN3431
02191.25	1.25 A	GTIHEA-1165-2 / CN3431
021901.6	1.60 A	GTIHEA-1165-3 / CN3431
0219002	2.00 A	GTIHEA-1165-4 / CN3431
021902.5	2.50 A	GTIHEA-1165-5 / CN3431
02193.15	3.15 A	GTIHEA-1165-6 / CN3431
0219004	4.00 A	GTIHEA-1165-7 / CN3431
0219005	5.00 A	GTIHEA-1165-8 / CN3431
021906.3	6.30 A	GTIHEA-1165-9 / CN3431
BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.		

First Issued: 1999-03-03

Latest Issue: 2017-11-06

Effective Date: 2017-11-06

Expiry Date: 2020-11-05

Page: 6 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41462

## Group 9: Type: 0219XA Standard Sheet VI Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)

Type Reference	Rating	Reference Report
0219.125XA	125 mA	GTIHEA-1366-1
0219.160XA	160 mA	GTIHEA-1366-2
0219.200XA	200 mA	GTIHEA-1366-3
0219.250XA	250 mA	GTIHEA-1366-4
0219.315XA	315 mA	GTIHEA-1366-5
0219.400XA	400 mA	GTIHEA-1366-6
0219.500XA	500 mA	GTIHEA-1366-7
0219.630XA	630 mA	GTIHEA-1366-8
0219.800XA	800 mA	GTIHEA-1366-9
0219001.XA	1.00 A	GTIHEA-1164-1 / CN3430
02191.25XA	1.25 A	GTIHEA-1164-2 / CN3430
021901.6XA	1.60 A	GTIHEA-1164-3 / CN3430
0219002.XA	2.00 A	GTIHEA-1164-4 / CN3430
021902.5XA	2.50 A	GTIHEA-1164-5 / CN3430
02193.15XA	3.15 A	GTIHEA-1164-6 / CN3430
0219004.XA	4.00 A	GTIHEA-1164-7 / CN3430
0219005.XA	5.00 A	GTIHEA-1164-8 / CN3430
021906.3XA	6.30 A	GTIHEA-1164-9 / CN3430

BSI commission No. 8066771/2-7, Amendment 1 update.

BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

## Group 10: Type: 0618 Standard Sheet III Fuse-links to BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015)

Type Reference	Rating	Reference Report
0618.800	800 mA	GTIHEA-2049/1 (CN5622) & 249/4717493
0618001	1.00 A	GTIHEA-2049/2 (CN5622) & 249/4717493
06181.25	1.25 A	GTIHEA-2049/3 (CN5622) & 249/4717493
061801.6	1.60 A	GTIHEA-2049/4 (CN5622) & 249/4717493

BSI commission No. 8066771/6-7, Amendment 1 update.

BSI commission No. 8858223 BS EN 60127-2:2014 (BS EN 60127-1:2006 + A2:2015) review update.

First Issued: 1999-03-03

Latest Issue: 2017-11-06

Effective Date: 2017-11-06

Expiry Date: 2020-11-05

Page: 7 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).