





TEST VOLTAGE: 600V	TIME CONSTANT/ POWER FACTOR:	FUSE CATALOG NUMBER
BASIS FOR DATA:		KLKR 1/10A - 30A
		DRAWN BY: LLL DATE: 08/21/12 REVISION: A
		DRAWING NO. Sheet 2 of 5 FCC01-KLKR
<b>TIME CURRENT CHARACTERISTIC CURVES</b>		





TEST VOLTAGE: 600V	TIME CONSTANT/ POWER FACTOR:	FUSE CATALOG NUMBER
BASIS FOR DATA:		KLKR 1/10A - 30A
		DRAWN BY: LLL
		DATE: 08/21/12
TIME CURRENT CHARACTERISTIC CURVES		REVISION: A
		DRAWING NO. Sheet 3 of 5
		FCC01-KLKR


**TIME IN SECONDS**



**CURRENT IN AMPERES**

TEST VOLTAGE: 600V	TIME CONSTANT/ POWER FACTOR:	FUSE CATALOG NUMBER
BASIS FOR DATA:		KLKR 1/10A - 30A
		DRAWN BY: LLL DATE: 08/21/12 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO. Sheet 4 of 5 FCC01-KLKR



TEST VOLTAGE: 600V	TIME CONSTANT/ POWER FACTOR:	FUSE CATALOG NUMBER
BASIS FOR DATA:		KLKR 1/10A - 30A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/21/12 REVISION: A
<b>TIME CURRENT CHARACTERISTIC CURVES</b>		DRAWING NO. Sheet 5 of 5 <b>FCC01-KLKR</b>